



Specifications Philips LED Panel
CoreLine RC132V 40W 3100lm - 840
Cool White | 60x60cm - UGR <19 - Dali
Dimmable - Emergency 3H

[View Product](#)

Product Details

SeriesRC132V

General Information

SKU	246383
EAN	8720169013858
Brand	Philips
Manufacturer Name	RC132V G5 31_36_43S/840PSD6060OCELB3W4W2
Any Lamp all-in warranty	5 Years
Average Lifetime (h)	50000

Technical Information

Technology	LED Integrated
Replaces (Watt)	4x18
Wattage	40.000000
Voltage (V)	220-240
Dimmable	Dimmable with Dali
Colour temperature (Kelvin)	3000K - Warm White
Colour Code	840 Cool White
Colour Rendering (Ra)	80-89
Including bulb	Yes

Amount of bulbs required	1
Beam Angle (degree)	90
Luminous Flux (Lumen)	3100
Luminous Efficacy (lm/W)	107
IP-rating	IP20
Impact Protection (IK)	IK03 - 0.35 joule
Fixture Connection	PI [Push-in connector 4-pole]
Finish of Reflector	Acrylate
Power factor	>0.90
Product Type Category	LED Panel
Type of sensor	No Sensor

Fixture Information

EOC8	01385800
Mounting Method	Recessed
Unified Glare Rating	< 19 - for offices and schools
Optical Cover	PS (Polystyrene)
Operating Temperature	0 to +35
Emergency Lighting	3H Emergency Light
Colour of the Fixture	White
Housing	Steel
Colour of material	White

Dimensions

LED panel size	60x60cm
Length (mm)	595
Width (mm)	595

Height (mm)

71

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process



Trustpilot

